Journal of MOLECULAR BIOLOGY

Editors in Chief
J. C. KENDREW S. BRENNER

Editors

P. Chambon
G. A. Gilbert
M. Gottesman
R. Huber
A. Klug
B. Mach
K. Matsubara
P. von Hippel

Associate Editors

C. R. Cantor
A. R. Fersht
I. Herskowitz
R. Laskey
V. Luzzati
B. Matthews
J. H. Miller
M. F. Moody

Volume 193
5 January to 20 February 1987

ACADEMIC PRESS
(Harcourt Brace Jovanovich, Publishers)
London Orlando San Diego New York
Toronto Montreal Sydney Tokyo

Copyright © 1987, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

Contents of Volume 193

Number 1, 5 January 1987

Freund, J. N. and Jarry, B. P., The *rudimentary* Gene of *Drosophila melanogaster* Encodes Four Enzymic Functions 1

Watson, J. C., Kaufman, L. S. and Thompson, W. F., Developmental Regulation of Cytosine Methylation in the Nuclear Ribosomal RNA Genes of *Pisum sativum* . . 15

Peterson, K. R. and Mount, D. W., Differential Repression of SOS Genes by Unstable LexA41 (Tsl-1) Protein Causes a "Split-phenotype" in *Escherichia coli* K-12 . . 27

Jefferson, R. A., Klass, M., Wolf, N. and Hirsh, D., Expression of Chimeric Genes in *Caenorhabditis elegans* 41

Ball, R. D., Krus, D. L. and Alizadeh, B., Myosin Degradation Fragments in Skeletal Muscle 47

Caplan, A., Kimura, T., Gould, H. and Allan, J., Perturbation of Chromatin Structure in the Region of the Adult Beta-globin Gene in Chicken Erythrocyte Chromatin . . 57

Appendix: Wachtel, E. J., Calculation of Hydrodynamic Properties of Model Chromatin Structures Containing Unfolded Regions 69

Szent-Györgyi, C., Finkelsten, D. B. and Garrard, W. T., Sharp Boundaries Demarcate the Chromatin Structure of a Yeast Heat-shock Gene 71

Kowalczykowski, S. C., Clow, J., Somani, R. and Varghese, A., Effects of the *Escherichia coli* SSB Protein on the Binding of *Escherichia coli* RecA Protein to Single-stranded DNA. Demonstration of Competitive Binding and the Lack of a Specific Protein–Protein Interaction 81

Kowalczykowski, S. C. and Krupp, R. A., Effects of *Escherichia coli* SSB Protein on the Single-stranded DNA-dependent ATPase Activity of *Escherichia coli* RecA Protein. Evidence that SSB Protein Facilitates the Binding of RecA Protein to Regions of Secondary Structure within Single-stranded DNA 97

Fraser, R. D. B., MacRae, T. P. and Miller, A., Molecular Packing in Type I Collagen Fibrils 115

Dion, A. S. and Myers, J. C., COOH-terminal Propeptides of the Major Human Procollagens. Structural, Functional and Genetic Comparisons 127

Wlodawer, A., Deisenhofer, J. and Huber, R., Comparison of Two Highly Refined Structures of Bovine Pancreatic Trypsin Inhibitor 145

Kundrot, C. E. and Richards, F. M., Crystal Structure of Hen Egg-white Lysozyme at a Hydrostatic Pressure of 1000 Atmospheres 157

Skarżyński, T., Moody, P. C. E. and Wonacott, A. J., Structure of holo-Glyceraldehyde-3-phosphate Dehydrogenase from *Bacillus stearothermophilus* at 1·8 Å Resolution . 171

Weaver, L. H. and Matthews, B. W., Structure of Bacteriophage T4 Lysozyme Refined at 1·7 Å Resolution 189

Brahmachari, S. K., Shouche, Y. S., Cantor, C. R. and McClelland, M., Sequences that Adopt Non-*B*-DNA Conformation in Form *V* DNA as Probed by Enzymic Methylation 201

Letters to the Editor

Boelens, R., Scheek, R. M., van Boom, J. H. and Kaptein, R., Complex of *lac* Repressor Headpiece with a 14 Base-pair *lac* Operator Fragment Studied by Two-dimensional Nuclear Magnetic Resonance 213

Kominami, R. and Muramatsu, M., Amplified Ribosomal Spacer Sequence: Structure and Evolutionary Origin 217

McClain, W. H., Foss, K., Schneider, J., Guerrier-Takada, C. and Altman, S., Suppressor and Novel Mutants of Bacteriophage T4 $tRNA^{Gly}$ 223

Sherwood, C., Mauk, A. G. and Brayer, G. D., Crystallization and Preliminary Diffraction Data for Horse Heart Metmyoglobin 227

Stura, E. A., Feinstein, A. and Wilson, I. A., Crystallization and Preliminary Crystallographic Data for an Antiprogesterone Monoclonal Antibody Fab′ and Steroid-Fab′ Complexes 229

Baker, P. J., Thomas, D. H., Barton, C. H., Rice, D. W. and Bailey, E., Crystallization of an $NADP^+$-dependent Malic Enzyme from Rat Liver. . . . 233

Moriyama, H., Hata, Y., Yamaguchi, H., Sato, M., Shinmyo, A., Tanaka, N., Okada, H. and Katsube, Y., Crystallization and Preliminary X-ray Studies of *Bacillus pumilus* IPO Xylanase 237

Erratum 239

Number 2, 20 January 1987

Pohlenz, H.-D., Straubinger, B., Thiebe, R., Pech, M., Zimmer, F.-J. and Zachau, H. G., The Human V_κ Locus. Characterization of Extended Immunoglobulin Gene Regions by Cosmid Cloning 241

van der Hoorn, F. A., c-*mos* Upstream Sequence Exhibits Species-specific Enhancer Activity and Binds Murine-specific Nuclear Proteins 255

Straney, D. C. and Crothers, D. M., A Stressed Intermediate in the Formation of Stably Initiated RNA Chains at the *Escherichia coli lac* UV5 Promoter 267

Straney, D. C. and Crothers, D. M., Comparison of the Open Complexes Formed by RNA Polymerase at the *Escherichia coli lac* UV5 Promoter 279

Bertrand-Burggraf, E., Hurstel, S., Daune, M. and Schnarr, M., Promoter Properties and Negative Regulation of the *uvr*A Gene by the LexA Repressor and its Amino-terminal DNA Binding Domain 293

Jahn, D., Wingender, E. and Seifart, K. H., Transcription Complexes for Various Class III Genes Differ in Parameters of Formation and Stability Towards Salt . . . 303

Marvin, D. A., Bryan, R. K. and Nave, C., Pf1 *Inovirus*. Electron Density Distribution Calculated by a Maximum Entropy Algorithm from Native Fibre Diffraction Data to 3 Å Resolution and Single Isomorphous Replacement Data to 5 Å Resolution . . 315

Andrews, B. J., Beatty, L. G. and Sadowski, P. D., Isolation of Intermediates in the Binding of the FLP Recombinase of the Yeast Plasmid 2-micron Circle to its Target Sequence 345

de Massey, B., Weisberg, R. A. and Studier, F. W., Gene *3* Endonuclease of Bacteriophage T7 Resolves Conformationally Branched Structures in Double-stranded DNA 359

Inman, R. B. and Schnös, M., Electron Microscopic Identification of Supercoiled Regions in Complex DNA Structures 377

Argos, P., A Sensitive Procedure to Compare Amino Acid Sequences 385

Sullivan, K. M. and Lilley, D. M. J., Influence of Cation Size and Charge on the Extrusion of a Salt-dependent Cruciform 397

Letters to the Editor

Folkhard, W., Geercken, W., Knörzer, E., Mosler, E., Nemetschek-Gansler, H., Nemetschek, Th. and Koch, M. H. J., Structural Dynamic of Native Tendon Collagen 405

Khrestchatisky, M. and Fontes, M., There is an α-Actin Skeletal Muscle-specific Gene in a Salamander (*Pleurodeles waltlii*) 409

Purvis, I. J., Bettany, A. J. E., Santiago, T. C., Coggins, J. R., Duncan, K., Eason, R. and Brown, A. J. P., The Efficiency of Folding of Some Proteins is Increased by Controlled Rates of Translation *in Vivo*. A Hypothesis . . . 413

Ducruix, A. and Reiss-Husson, F., Preliminary Characterization by X-ray Diffraction of Crystals of Photochemical Reaction Centres from Wild-type *Rhodopseudomonas spheroides* 419

Leberman, R., Berthet-Colominas, C., Cusack, S. and Härtlein, M., Crystals of Seryl-tRNA Synthetase from *Escherichia coli*. Preliminary Crystallographic Data . 423

Number 3, 5 February 1987

Monteiro, M. J. and Cox, R. A., Primary Structure of an α-Tubulin Gene of *Physarum polycephalum* 427

Nojima, H. and Sokabe, H., Structure of a Gene for Rat Calmodulin 439

Hoheisel, J. D. and Pohl, F. M., Searching for Potential *Z*-DNA in Genomic *Escherichia coli* DNA 447

Gallie, D. R. and Kado, C. I., *Agrobacterium tumefaciens* pTAR *par*A Promoter Region Involved in Autoregulation, Incompatibility and Plasmid Partitioning . . . 465

Schmitt, M. P., Beck, P. J., Kearney, C. A., Spence, J. L., DiGiovanni, D., Condreay, J. P. and Molineux, I. J., Sequence of a Conditionally Essential Region of Bacteriophage T3, Including the Primary Origin of DNA Replication 479

Nishikura, K., Activation of Cryptic Promoters of Human c-*myc* Genes in Microinjected *Xenopus laevis* Oocytes 497

Taljanidisz, J., Karnik, P. and Sarkar, N., Messenger Ribonucleic Acid for the Lipoprotein of the *Escherichia coli* Outer Membrane is Polyadenylated . . . 507

Christiansen, K., Bonven, B. J. and Westergaard, O., Mapping of the Sequence-specific Chromatin Proteins by a Novel Method: Topoisomerase I on *Tetrahymena* Ribosomal Chromatin 517

Krause, K. L., Volz, K. W. and Lipscomb, W. N., 2·5 Å Structure of Aspartate Carbamoyltransferase Complexed with the Bisubstrate Analog *N*-(phosphonacetyl)-L-aspartate 527

Rau, D. C., Gellert, M., Thoma, F. and Maxwell, A., Structure of the DNA Gyrase–DNA Complex as Revealed by Transient Electric Dichroism 555

Letters to the Editor

Clore, G. M., Sukumaran, D. K., Gronenborn, A. M., Teeter, M. M., Whitlow, M. and Jones, B. L., Nuclear Magnetic Resonance Study of the Solution Structure of α1-Purothionin. Sequential Resonance Assignment, Secondary Structure and Low Resolution Tertiary Structure 571

Prasad, B. V. V. and Chiu, W., Sequence Comparison of Single-stranded DNA Binding Proteins and its Structural Implications 579

Shimada, K. and Berg, H. C., Response of the Flagellar Rotary Motor to Abrupt Changes in Extracellular pH 585

Number 4, 20 February 1987

Kiyama, R., Matsui, H., Okumura, K. and Oishi, M., A Group of Repeitive Human DNA Families that is Characterized by Extrachromosomal Oligomers and Restriction-fragment Length Polymorphism 591

Cole, S. T. and Danos, O., Nucleotide Sequence and Comparative Analysis of the Human Papillomavirus Type 18 Genome. Phylogeny of Papillomaviruses and Repeated Structure of the E6 and E7 Gene Products 599

Refolo, L. M., Bennett, C. B. and Humayun, M. Z., Mechanisms of Frameshift Mutagenesis by Aflatoxin B_1-2,3-dichloride 609

Appendix: **Bennett, C. B., Refolo, L. M. and Humayun, M. Z.,** Statistical Analysis of AFB1Cl2-induced –1 Frameshifts in M12mp8/BK8 631

Wood, R. D. and Hutchison, F., Ultraviolet Light-induced Mutagenesis in the *Escherichia coli* Chromosome. Sequences of Mutants in the *cI* Gene of a Lambda Lysogen. 637

Babiss, L. E., Friedman, J. M. and Darnell, J. E., Jr, Cellular Promoters Incorporated into the Adenovirus Genome. Effect of Viral DNA Replication on Endogenous and Exogenous Gene Transcription 643

Koffel-Schwartz, N., Maenhaut-Michel, G. and Fuchs, R. P. P., Strand-specific Loss in *N*-2-acetylaminofluorene-modified DNA 651

Beauclerk, A. D. and Cundliffe, E., Sites of Action of Two Ribosomal RNA Methylases Responsible for Resistance to Aminoglycosides 661

Akey, C. W. and Edelstein, S. J., The Innermost Chorionic Layer of *Drosophila*. I. The Role of Chorin Octamers in the Formation of a Family of Interdigitating Crystalline Plates 673

Akey, C. W., Crepeau, R. H. and Edelstein, S. J., The Innermost Chorionic Layer of *Drosophila*. II. Three-dimensional Structure Determination of the 90° Crystal Form by Electron Microscropy 685

Altschuh, D., Lesk, A. M., Bloomer, A. C. and Klug, A., Correlation of Co-ordinated Amino Acid Substitutions with Function in Viruses Related to Tobacco Mosaic Virus. 693

Greulich, K. O., Wachtel, E., Ausio, J., Seger, D. and Eisenberg, H., Transition of Chromatin from the "10 nm" Lower Order Structure to the "30 nm" Higher Order Structure as Followed by Small Angle X-ray Scattering 709

Berg, O. G. and von Hippel, P. H., Selection of DNA Binding Sites by Regulatory Proteins. Statistical-mechanical Theory and Application to Operators and Promoters . 723

Appendix: **Berg, O. G.,** Statistical Ensembles for Sequence Variability . . . 743

Frappier, L., Price, G. B., Martin, R. G. and Zannis-Hadjopoulos, M., Monoclonal Antibodies to Cruciform DNA Structures 751

Moody, M. F., Jones, P. T., Carver, J. A., Boyd, J. and Campbell, I. D., ^1H Nuclear Magnetic Resonance Studies of an Integral Membrane Protein: Subunit c of the F_1F_0 ATP Synthase 759

Ponder, J. W. and Richards, F. M., Tertiary Templates for Proteins: Use of Packing Criteria in the Enumeration of Allowed Sequences for Different Structural Classes . 775

Tuchsen, E. and Woodward, C., Hydrogen Exchange Kinetics of Surface Peptide Amides in Bovine Pancreatic Trypsin Inhibitor 793

Russell, A. J., Thomas, P. G. and Fersht, A. R., Electrostatic Effects on Modification of Charged Groups in the Active Site Cleft of Subtilisin by Protein Engineering . . 803

Letters to the Editor

Morle, F. and Godet, J., 3′ Non-translated Region of Human α-Globin Messenger RNA Does Not Affect Translation Efficiency 815

Makowski, I., Frolow, F., Saper, M. A., Shoham, M., Wittmann, H. G. and Yonath, A., Single Crystals of Large Ribosomal Particles from *Halobacterium marismortui* Diffract to 6 Å 819

Saper, M. A., Lis, H., Sharon, N. and Shaanan, B., Crystallization and Preliminary X-ray Diffraction Studies of the Lectin from *Erythrina corallodendron* 823

Maeda, K., Sato, M., Kato, Y., Tanaka, N., Hata, Y., Katsube, Y. and Matsubara, H., Crystallographic Study of Endogenous α-Amylase Inhibitor from Wheat 825

Index to Volume 193

α-Actin skeletal muscle-specific gene in salamander (*Pleurodeles waltlii*), 409
Active site cleft of subtilisin, electrostatic effects on modification of charged groups by protein engineering, 803
Adenovirus genome and cellular promoters. Effect of viral DNA replication on exogenous and endogenous gene transcription, 643
Adult beta-globin gene in chicken erythrocyte chromatin, perturbation of chromatin structure, 57
Aflatoxin B_1-2,3-dichloride, mechanisms of frameshift mutagenesis, 609
Aflatoxin B_1-2,3-dichloride-induced −1 frameshifts in M13mp8/BK8; statistical analysis, 631
Agrobacterium tumefaciens pTAR *par*A promoter region involved in autoregulation, incompatibility and plasmid partitioning, 465
Akey, C. W. & Edelstein, S. J., The innermost chorionic layer of *Drosophila*. I. The role of chorin octamers in the formation of a family of interdigitating crystalline plates, 673
Akey, C. W., Crepeau, R. H. & Edelstein, S. J., The innermost chorionic layer of *Drosophila*. II. Three-dimensional structure determination of the 90° crystal form by electron microscopy, 685
Alizadeh, B. (see also Ball, R. D.), 47
Allen, J. (see also Caplan, A.), 57
Altman, S. (see also McClain, W. H.), 223
Altschuh, D., Lesk, A. M., Bloomer, A. C. & Klug, A., Correlation of co-ordinated amino acid substitutions with function in viruses related to tobacco mosaic virus, 693
Amides, surface peptide, in bovine pancreatic trypsin inhibitor; hydrogen exchange kinetics, 793
Amino acid sequence comparison, a sensitive procedure, 385
Amino acid substitutions, co-ordinated; correlation with function in viruses related to tobacco mosaic virus, 694
Aminoglycoside resistance; sites of action of two responsible rRNA methylases, 661
Amino-terminal DNA binding domain, LexA repressor, and negative regulation of the *uvr*A gene, 293
Amplified ribosomal spacer sequence: structure and evolutionary origin, 217
α-Amylase inhibitor, endogenous, from wheat; crystallographic study, 825
Andrews, B. J., Beatty, L. G. & Sadowski, P. D., Isolation of intermediates in the binding of the FLP recombinase of the yeast plasmid 2-micron circle to its target sequence, 345
Antiprogesterone monoclonal antibody Fab′, crystallization and preliminary crystallographic data, 229
Argos, P., A sensitive procedure to compare amino acid sequences, 385
Aspartate carbamoyltransferase, 2·5 Å structure complexed with the bisubstrate analog *N*-(phosphonacetyl)-L-aspartate, 527
ATP synthase: n.m.r. studies of an integral membrane protein, subunit c of the F_1F_0 ATP synthase, 759
ATPase activity, single-stranded DNA-dependent, of *Escherichia coli* RecA protein, effects of *Escherichia coli* SSB protein, 97
Ausio, J. (see also Greulich, K. O.), 709
Autoregulation, and *Agrobacterium tumefaciens* pTAR *par*A promoter region, 465

Babiss, L. E., Friedman, J. M. & Darnell, J. E., Jr, Cellular promoters incorporated into the adenovirus genome. Effect of viral DNA replication on endogenous and exogenous gene transcription, 643
Bacillus pumilus IPO xylanase, crystallization and preliminary X-ray studies, 237
Bacillus stearothermophilus, structure of holo-glyceraldehyde-3-phosphate dehydrogenase at 1·8 Å resolution, 171
Bacteriophage T3, sequence of a conditionally essential region, including the primary origin of DNA replication, 479
Bacteriophage T4 lysozyme, structure refined at 1·7 Å resolution, 189
Bacteriophage T4 $tRNA^{Gly}$, suppressor and novel mutants, 223
Bacteriophage T7, gene *3* endonuclease resolves conformationally branched structures in double-stranded DNA, 359
Bailey, E. (see also Baker, P. J.), 233
Baker, P. J., Thomas, D. H., Barton, C. H., Rice, D. W. & Bailey, E., Crystallization of an $NADP^+$-dependent malic enzyme from rat liver, 233
Ball, R. D., Krus, D. L. & Alizadeh, B., Myosin degradation fragments in skeletal muscle, 47
Barton, C. H. (see also Baker, P. J.), 233
Beatty, L. G. (see also Andrews, B. J.), 345
Beauclerk, A. D. & Cundliffe, E., Sites of action of two ribosomal RNA methylases responsible for resistance to aminoglycosides, 661
Beck, P. J. (see also Schmitt, M. P.), 479
Bennett, C. B., Refolo, L. M. & Humayun, M. Z., Statistical analysis of AFB1Cl2-induced −1 frameshifts in M12mp8/BK8 (*Appendix* to Refolo, L. M., Bennett, C. B. & Humayun, M. Z., 609), 631
Bennett, C. B. (see also Refolo, L. M.), 609
Berg, H. C. (see also Shimada, K.), 585
Berg, O. G. & von Hippel, P. H., Selection of DNA binding sites by regulatory proteins. Statistical-mechanical theory and application to operators and promoters, 723
Berg, O. G., Statistical ensembles for sequence variability (*Appendix* to Berg, O. G. & von Hippel, P. H., 723), 743
Bertrand-Burggraf, E., Hurstel, S., Daune, M. & Schnarr, M., Promoter properties and negative regulation of the *uvr*A gene by the LexA repressor and its amino-terminal DNA binding domain, 293
Berthet-Colominas, C. (see also Leberman, R.), 423
Bettany, A. J. E. (see also Purvis, I. J.), 413
Binding of *Escherichia coli* RecA protein to single-stranded DNA, effects of the *Escherichia coli* SSB protein, 81
Binding of the FLP recombinase of the yeast plasmid 2-micron circle to its target sequence; isolation of intermediates, 345
Binding proteins, single-stranded DNA, sequence comparison and its structural implications, 579
Binding sites, DNA, selection by regulatory proteins; statistical-mechanical theory and application to operators and promoters, 723
Bloomer, A. C. (see also Altschuh, D.), 693
Boelens, R., Scheek, R. M., van Boom, J. H. & Kaptein, R., Complex of *lac* repressor headpiece with a 14 base-pair *lac* operator fragment studied by two-dimensional nuclear magnetic resonance, 213
Bonven, B. J. (see also Christiansen, K.), 517
Boundaries, sharp, demarcate the chromatin structure of a yeast heat-shock gene, 71
Bovine pancreatic trypsin inhibitor, comparison of two highly refined structures, 145
Bovine pancreatic trypsin inhibitor, hydrogen exchange kinetics of surface peptide amides, 793
Boyd, J. (see also Moody, M. F.), 759
Brahmachari, S. K., Shouche, Y. S., Cantor, C. R. & McClelland, M., Sequences that adopt non-*B*-DNA conformation in form *V* DNA as probed by enzymic methylation, 201
Brayer, G. D. (see also Sherwood, C.), 227
Brown, A. J. P. (see also Purvis, I. J.), 413
Bryan, R. K. (see also Marvin, D. A.), 315

cI gene of a lambda lysogen, sequences of mutants; ultraviolet light-induced mutagenesis in the *Escherichia coli* chromosome, 637
Caenorhabditis elegans, expression of chimeric genes, 41
Calmodulin, rat, structure of gene, 439
Campbell, I. D. (see also Moody, M. F.), 759
Cantor, C. R. (see also Brahmachari, S. K.), 201
Caplan, A., Kimura, T., Gould, H. & Allen, J., Perturbation of chromatin structure in the region of the adult beta-globin gene in chicken erythrocyte chromatin, 57
Carver, J. A. (see also Moody, M. F.), 759
Cation size and charge, influence on the extrusion of a salt-dependent cruciform, 397
Cellular promoters incorporated into the adenovirus genome. Effect of viral DNA replication on endogenous and exogenous gene transcription, 643
Chicken erythrocyte chromatin, perturbation of chromatin structure in the region of the adult beta-globin gene, 57
Chimeric gene expression in *Caenorhabditis elegans*, 41

Chiu, W. (see also Prasad, B. V. V.), 579
Chorionic layer, innermost, of *Drosophila*. Chorin octamers, role in the formation of a family of interdigitating crystalline plates, 673
Chorionic layer, innermost, of *Drosophila*. Three-dimensional structure determination of the 90° crystal form by electron microscopy, 685
Christiansen, K., Bonven, B. J. & Westergaard, O., Mapping of the sequence-specific chromatin proteins by a novel method: topoisomerase I on *Tetrahymena* ribosomal chromatin, 517
Chromatin model structures containing unfolded regions, calculation of hydrodynamic properties, 69
Chromatin proteins, sequence-specific, mapping by a novel method: topoisomerase I on *Tetrahymena* ribosomal chromatin, 517
Chromatin structure perturbation in the region of the adult beta-globin gene in chicken erythrocyte chromatin, 57
Chromatin structure of a yeast heat-shock gene is demarcated by sharp boundaries, 71
Chromatin transition from the "10 nm" lower order structure to the "30 nm" higher order structure, as followed by small angle X-ray scattering, 709
Chromosome, *Escherichia coli*, ultraviolet light-induced mutagenesis; sequences of mutants in the *c*I gene of a lambda lysogen, 637
Class III genes, transcription complexes differ in parameters of formation and stability towards salt, 303
Clore, G. M., Sukumaran, D. K., Gronenborn, A. M., Teeter, M. M., Whitlow, M. & Jones, B. L., Nuclear magnetic resonance study of the solution structure of α1-purothionin. Sequential resonance assignment, secondary structure and low resolution tertiary structure, 571
Clow, J. (see also Kowalczykowski, S. C.), 81
c-*mos* upstream sequence exhibits species-specific enhancer activity and binds murine-specific nuclear proteins, 255
c-*myc* genes, human, in microinjected *Xenopus laevis* oocytes; activation of cryptic promoters, 497
Coggins, J. R. (see also Purvis, I. J.), 413
Cole, S. T. & Danos, O., Nucleotide sequence and comparative analysis of the human papillomavirus type 18 genome. Phylogeny of papillomaviruses and repeated structure of the E6 and E7 products, 599
Collagen, tendon, structural dynamic, 405
Collagen, type I, fibrils; molecular packing, 115
Complex DNA structures, electron microscopic identification of supercoiled regions, 377
Complexes, open, formed by RNA polymerase at the *Escherichia coli lac* UV5 promoter, 267
Condreay, J. P. (see also Schmitt, M. P.), 479
COOH-terminal propeptides of the major human procollagens; structural, functional and genetic comparisons, 127
Cosmid cloning characterization of extended immunoglobulin gene regions; the human V_κ locus, 241
Cox, R. A. (see also Monteiro, M. J.), 427
Crepeau, R. H. (see also Akey, C. W.), 685
Crothers, D. M. (see also Straney, D. C.), 267, 279
Cruciform DNA structures, and monoclonal antibodies, 751
Cruciform extrusion, influence of cation size and charge, 397
Crystal structure of hen egg-white lysozyme at a hydrostatic pressure of 1000 atmospheres, 157
Crystalline plates, interdigitating, the role of chorin octamers in their formation; the innermost chorionic layer of *Drosophila*, 673
Crystallization of an $NADP^+$-dependent malic enzyme from rat liver, 233
Crystallization and preliminary crystallographic data for an antiprogesterone monoclonal antibody Fab′ and steroid-Fab′ complexes, 229
Crystallization and preliminary diffraction data for horse heart metmyoglobin, 227
Crystallization and preliminary X-ray diffraction studies of the lectin from *Erythrina corallodendron*, 823
Crystallization and preliminary X-ray studies of *Bacillus pumilus* IPO xylanase, 237
Crystallographic data, preliminary, for an antiprogesterone monoclonal antibody Fab′ and steroid-Fab-complexes, 229
Crystallographic study of endogenous α-amylase inhibitor from wheat, 825
Crystals of photochemical reaction centres from wild-type *Rhodopseudomonas spheroides*, preliminary characterization by X-ray diffraction, 419
Crystals of seryl-tRNA synthetase from *Escherichia coli*. Preliminary crystallographic data, 423
Crystals, single, of large ribosomal particles from *Halobacterium marismortui* diffract to 6 Å, 819
Cundliffe, E. (see also Beauclerk, A. D.), 661
Cusack, C. (see also Leberman, R.), 423
Cytosine methylation, developmental regulation, in the nuclear ribosomal RNA genes of *Pisum sativum*, 15

Danos, O. (see also Cole, S. T.), 599
Darnell, J. E., Jr (see also Babiss, L. E.), 643
Daune, M. (see also Bertrand-Burggraf, E.), 293
Degradation fragments, myosin, in skeletal muscle, 47
Deisenhofer, J. (see also Wlodawer, A.), 145
De Massey, B., Weisberg, R. A. & Studier, F. W., Gene *3* endonuclease of bacteriophage T7 resolves conformationally branched structures in double-stranded DNA, 359
DNA binding sites, selection by regulatory proteins; statistical-mechanical theory and application to operators and promoters, 723
DNA, double-stranded, gene *3* endonuclease of bacteriophage T7 resolves conformationally branched structures, 359
DNA, *Escherichia coli*, genomic, and searching for potential *Z*-DNA, 447
DNA, form *V*; sequences that adopt non-*B*-DNA conformation, as probed by enzymic methylation, 201
DNA gyrase–DNA complex, structure as revealed by transient electric dichroism, 555
DNA, human, repetitive, a group of families that is characterized by extrachromosomal oligomers and restriction-fragment length polymorphism, 591
DNA, *N*-2-acetylaminofluorine-modified, specific strand loss, 651
DNA replication, primary origin is included in the sequence of a conditionally essential region of bacteriophage T3, 479
DNA, single-stranded, binding to *Escherichia coli* RecA protein, effects of the *Escherichia coli* SSB protein, 81
DNA, single-stranded, binding proteins, sequence comparison and structural implications, 579
DNA, single-stranded, -dependent ATPase activity of *Escherichia coli* RecA protein, effects of *Escherichia coli* SSB protein, 97
DNA structures, complex, electron microscopic identification of supercoiled regions, 377
DNA structures, cruciform, and monoclonal antibodies, 751
DNA, viral, replication, effect on endogenous and exogenous gene transcription; cellular promoters incorporated into the adenovirus genome, 643
Z-DNA, potential, searching in genomic *Escherichia coli* DNA, 447
Diffraction data, preliminary, for horse heart metmyoglobin, 227
Digiovanni, D. (see also Schmitt, M. P.), 479
Dion, A. S. & Myers, J. C., COOH-terminal propeptides of the major human procollagens. Structural, functional snd genetic comparisons, 127
Drosophila, innermost chorionic layer; role of chorin octamers in the formation of a family of interdigitating crystalline plates, 673
Drosophila, innermost chorionic layer; three-dimensional structure determination of the 90° crystal form by electron microscopy, 685
Drosophila melanogaster rudimentary gene encodes four enzymic functions, 1
Ducruix, A. & Reiss-Husson, F., Preliminary characterization by X-ray diffraction of crystals of photochemical reaction centres from wild-type *Rhodopseudomonas spheroides*, 419
Duncan, K. (see also Purvis, I. J.), 413

E6 and E7 gene products, repeated structure; nucleotide sequence of the human papillomavirus type 18 genome, 599
Eason, R. (see also Purvis, I. J.), 413
Edelstein, S. J. (see also Akey, C. W.), 673, 685
Eisenberg, H. (see also Greulich, K. O.), 709

Electric dichroism, transient, determination of structure of the DNA gyrase–DNA complex, 555
Electron density distribution of Pf1 *Inovirus* calculated by a maximum entropy algorithm from native fibre diffraction data to 3 Å resolution and single isomorphous replacement data to 5 Å resolution, 315
Electron microscopic identification of supercoiled regions in complex DNA structures, 377
Electron microscopy determination of three-dimensional structure of the 90° crystal form; the innermost chorionic layer of *Drosophila*, 685
Electrostatic effects on modification of charged groups in the active site cleft of subtilisin by protein engineering, 803
Enhancer activity, species-specific, exhibition by c-*mos* upstream sequence, 255
Enzymic functions, four, are encoded by the *rudimentary* gene of *Drosophila melanogaster*, 1
Erythrina corallodendron, crystallization and preliminary X-ray diffraction studies of lectin, 823
Erythrocyte chromatin of chicken, perturbation of chromatin structure in the region of the adult beta-globin gene, 57
Escherichia coli chromosome, ultraviolet light-induced mutagenesis; sequences of mutants in the *c*I gene of a lambda lysogen, 637
Escherichia coli genomic DNA, and searching for potential *Z*-DNA, 447
Escherichia coli K-12, differential repression of SOS genes by unstable LexA41 (Tsl-1) protein causes å "split-phenotype", 27
Escherichia coli lac UV5 promoter; comparison of the open complexes formed by RNA polymerase, 279
Escherichia coli lac UV5 promoter; a stressed intermediate in the formation of stably initiated RNA chains, 267
Escherichia coli outer membrane, mRNA for the lipoprotein is polyadenylated, 507
Escherichia coli, preliminary crystallographic data for seryl-tRNA synthetase, 423
Escherichia coli SSB protein, effects on the binding of *Escherichia coli* RecA protein to single-stranded DNA, 81
Escherichia coli SSB protein, effects on the single-stranded DNA-dependent ATPase activity of *Escherichia coli* RecA protein, 97
Evolutionary origin, amplified ribosomal spacer sequence, 217
Expression of chimeric genes in *Caenorhabditis elegans*, 41
Extrusion of a salt-dependent cruciform, influence of cation size and change, 397

Fab′, antiprogesterone monoclonal antibody, crystallization and preliminary crystallographic data, 229
Feinstein, A. (see also Stura, E. A.), 229
Fersht, A. R. (see also Russell, A. J.), 803
Fibrils, type I collagen, molecular packing, 115
Finkelsten, D. B. (see also Szent-Györgyi, C.), 71
Flagellar rotary motor, response to abrupt changes in extracellular pH, 585
FLP recombinase of the yeast plasmid 2-micron circle, isolation of intermediates in the binding to its target sequence, 345
Folding efficiency of some proteins is increased by controlled rates of translation *in vivo*, 413
Folkhard, W., Geercken, W., Knörzer, E., Mosler, E., Nemetschek-Gansler, H., Nemetschek, Th. & Koch, M. H. J., Structural dynamic of native tendon collagen, 405
Fontes, M. (see also Khrestchatisky, M.), 409
Foss, K. (see also McClain, W. H.), 223
Frameshift mutagenesis by aflatoxin B_1-2,3-dichloride; mechanisms, 609
Frappier, L., Price, G. B., Martin, R. G. & Zannis-Hadjopoulos, M., Monoclonal antibodies to cruciform DNA structures, 751
Fraser, R. D. B., MacRae, T. P. & Miller, A., Molecular packing in type I collagen fibrils, 115
Freund, J. N. & Jarry, B. P., The *rudimentary* gene of *Drosophila melanogaster* encodes four enzymic functions, 1
Friedman, J. M. (see also Babiss, L. E.), 643
Frolow, F. (see also Makowski, I.), 818
Fuchs, R. P. P. (see also Koffel-Schwartz, N.), 651
Function, correlation with co-ordinated amino acid substitutions, in viruses related to tobacco mosaic virus, 693

Gallie, D. R. & Kado, C. I., *Agrobacterium tumefaciens* pTAR *par*A promoter region involved in autoregulation, incompatibility and plasmid partitioning, 465
Garrard, W. T. (see also Szent-Györgyi, C.), 71
Geercken, W. (see also Folkhard, W.), 405
Gellert, M. (see also Rau, D. C.), 555
Gene, α-actin skeletal muscle-specific, in salamander (*Pleurodeles waltlii*), 409
Gene, beta-globin, adult, in chicken erythrocyte chromatin; perturbation of chromatin structure, 57
Gene, *c*I, of a lambda lysogen, sequences of mutants; ultraviolet light-induced mutagenesis in the *Escherichia coli* chromosome, 637
Gene, heat-shock, yeast, sharp boundaries demarcate the chromatin structure, 71
Gene, immunoglobulin, regions, characterization by cosmid cloning; the human V_κ locus, 241
Gene for rat calmodulin, structure, 439
Gene, *rudimentary*, of *Drosophila melanogaster* encodes four enzymic functions, 1
Gene *3* endonuclease of bacteriophage T7 resolves conformationally branched structures in double-stranded DNA, 359
Gene, α-tubulin, of *Physarum polycephalum*, primary structure, 427
Gene, *uvr*A, promoter properties and negative regulation by the LexA repressor and its amino-terminal DNA binding domain, 293
Genes, chimeric, expression in *Caenorhabditis elegans*, 41
Genes, class III, transcription complexes differ in parameters of formation and stability towards salt, 303
Genes, c-*myc*, human, in microinjected *Xenopus laevis* oocytes; activation of cryptic promoters, 497
Genes, nuclear rRNA, of *Pisum sativum*, developmental regulation of cytosine methylation, 15
Genes, SOS, differential repression by unstable LexA41 (Tsl-1) protein causes a "split-phenotype" in *Escherichia coli* K-12, 27
Genome, adenovirus, and cellular promoters. Effect of viral DNA replication on endogenous and exogenous gene transcription, 643
Genome, human papillomavirus type 18, nucleotide sequence and comparative analysis, 599
Genomic *Escherichia coli* DNA, and searching for potential *Z*-DNA, 447
α-Globin mRNA, human, 3′ non-translated region does not affect translation efficiency, 815
β-Globin gene, adult, in chicken erythrocyte chromatin; perturbation of chromatin structure, 57
Godet, J. (see also Morle, F.), 815
Gould, H. (see also Caplan, A.), 57
Greulich, K. O., Wachtel, E., Ausio, J., Seger, D. & Eisenberg, H., Transition of chromatin from the "10 nm" lower order structure to the "30 nm" higher order structure as followed by small angle X-ray scattering, 709
Gronenborn, A. M. (see also Clore, G. M.), 571
Guerrier-Takada, C. (see also McClain, W. H.), 223

Halobacterium marismortui, single crystals of large ribosomal particles diffract to 6 Å, 819
Härtlein, M. (see also Leberman, R.), 423
Hata, Y. (see also Maeda, K.), 825
Hata, Y. (see also Moriyama, H.), 237
Heart metmyoglobin, horse, crystallization and preliminary diffraction data, 227
Heat-shock gene, yeast, sharp boundaries demarcate the chromatin structure, 71
Hirsh, D. (see also Jefferson, R. A.), 41
Hoheisel, J. D. & Pohl, F. M., Searching for potential *Z*-DNA in genomic *Escherichia coli* DNA, 447
holo-glyceraldehyde-3-phosphate dehydrogenase from *Bacillus stearothermophilus*, structure at 1·8 Å resolution, 171
Horse heart metmyoglobin, crystallization and preliminary diffraction data, 227

Huber, R. (see also Wlodawer, A.), 145
Human α-globin mRNA, 3′ non-translated region does not affect translation efficiency, 815
Human c-*myc* genes in microinjected *Xenopus laevis* oocytes, activation of cryptic promoters, 497
Human papillomavirus type 18 genome, nucleotide sequence and comparative analysis, 599
Human procollagens, COOH-terminal propeptides; structural, functional and genetic comparisons, 127
Human repetitive DNA families, a group that is characterized by extrachromosomal oligomers and restriction-fragment length polymorphism, 591
Human V_κ locus. Characterization of extended immunoglobulin gene regions by cosmid cloning, 241
Humayun, M. Z. (see also Bennett, C. B.), 631
Humayun, M. Z. (see also Refolo, L. M.), 609
Hurstel, S. (see also Bertrand-Burggraf, E.), 293
Huchison, F. (see also Wood, R. D.), 637
Hydrodynamic properties, calculation for model chromatin structures containing unfolded regions, 69
Hydrogen exchange kinetics of surface peptide amides in bovine pancreatic trypsin inhibitor, 793
^{1}H n.m.r. studies of an integral membrane protein: subunit c of the F_1F_0 ATP synthase, 759

Immunoglobulin gene regions, characterization by cosmid cloning; the human V_κ locus, 241
Inman, R. B. & Schnös, M., Electron microscopic identification of supercoiled regions in complex DNA structures, 377
Inovirus, Pfl. Electron density distribution calculated by a maximum entropy algorithm from native fibre diffraction data to 3 Å resolution and single isomorphous replacement data to 5 Å resolution, 315
Intermediate, stressed, in the formation of stably initiated RNA chains at the *Escherichia coli lac* UV5 promoter, 267
Intermediates, isolation in the binding of the FLP recombinase of the yeast plasmid 2-micron circle to its target sequence, 345

Jahn, D., Wingender, E. & Seifart, K. H., Transcription complexes for various class III genes differ in parameters of formation and stability towards salt, 303
Jarry, B. P. (see also Freund, J. N.), 1
Jefferson, R. A., Klass, M., Wolf, N. & Hirsh, D., Expression of chimeric genes in *Caenorhabditis elegans*, 41
Jones, B. L. (see also Clore, G. M.), 571
Jones, P. Y. (see also Moody, M. F.), 759

Kado, C. I. (see also Gallie, D. R.), 465
Kaptein, R. (see also Boelens, R.), 213
Karnik, P. (see also Taljanidisz, J.), 507
Kato, Y. (see also Maeda, K.), 825
Katsube, Y. (see also Maeda, K.), 825
Katsube, Y. (see also Moriyama, H.), 237
Kaufman, L. S. (see also Watson, J. C.), 15
Kearney, C. A. (see also Schmitt, M. P.), 479
Khrestchatisky, M. & Fontes, M., There is an α-actin skeletal muscle-specific gene in a salamander (*Pleurodeles waltlii*), 409
Kimura, T. (see also Caplan, A.), 57
Kiyama, R., Matsui, H., Okumura, K. & Oishi, M., A group of repetitive human DNA families that is characterized by extrachromosomal oligomers and restriction-fragment length polymorphism, 591
Klass, M. (see also Jefferson, R. A.), 41
Klug, A. (see also Altschuh, D.), 693
Knörzer, E. (see also Folkhard, W.), 405
Koch, M. H. J. (see also Folkhard, W.), 405
Koffel-Schwartz, N., Maenhaut-Michel, G. & Fuchs, R. P. P., Strand-specific loss in *N*-2-acetylaminofluorene-modified DNA, 651
Kominami, R. & Muramatsu, M., Amplified ribosomal spacer sequence: structure and evolutionary origin, 217
Kowalczykowski, S. C. & Krupp, R. A., Effects of *Escherichia coli* SSB protein on the single-stranded DNA-dependent ATPase activity of *Escherichia coli* RecA protein. Evidence that SSB protein facilitates the binding of RecA protein to regions of secondary structure within single-stranded DNA, 97
Kowalczykowski, S. C., Clow, J., Somani, R. & Varghese, A., Effects of the *Escherichia coli* SSB protein on the binding of *Escherichia coli* RecA protein to single-stranded DNA. Demonstration of competitive binding and the lack of a specific protein–protein interaction, 81
Krause, K. L., Volz, K. W. & Lipscomb, W. N., 2·5 Å structure of aspartate carbamoyltransferase complexed with the bisubstrate analog *N*-(phosphonacetyl)-L-aspartate, 527
Krupp, R. A. (see also Kowalczykowski, S. C.), 97
Krus, D. L. (see also Ball, R. D.), 47
Kundrot, C. E. & Richards, F. M., Crystal structure of hen egg-white lysozyme at a hydrostatic pressure of 1000 atmospheres, 157

lac repressor headpiece complex with a 14 base-pair *lac* operator fragment, a two-dimensional n.m.r. study, 213
lac UV5 promoter, *Escherichia coli*; comparison of the open complexes formed by RNA polymerase, 279
lac UV5 promoter, *Escherichia coli*; a stressed intermediate in the formation of stably initiated RNA chains, 267
Lambda lysogen, sequences of mutants in the *c*I gene; ultraviolet light-induced mutagenesis in the *Escherichia coli* chromosome, 637
Leberman, R., Berthet-Colominas, C., Cusack, S. & Härtlein, M., Crystals of seryl-tRNA synthetase from *Escherichia coli*. Preliminary crystallographic data, 423
Lectin from *Erythrina corallodendron*, crystallization and preliminary X-ray diffraction studies, 823

Lesk, A. M. (see also Altshuh, D.), 693
LexA repressor, and negative regulation of the *uvr*A gene, 293
LexA41 (Tsl-1) protein, unstable, differential repression of SOS genes causes a "split-phenotype" in *Escherichia coli* K-12, 27
Lilley, D. M. J. (see also Sullivan, K. M.), 397
Lipoprotein of the *Escherichia coli* outer membrane, messenger RNA is polyadenylated, 507
Lipscomb, W. N. (see also Krause, K. L.), 527
Lis, H. (see also Saper, M. A.), 823
Liver, rat, crystallization of an $NADP^+$-dependent malic enzyme, 233
Lysogen, lambda, sequences of mutants in the *c*I gene; ultraviolet light-induced mutagenesis in the *Escherichia coli* chromosome, 637
Lysozyme, hen egg-white, crystal structure at a hydrostatic pressure of 1000 atmospheres, 157
Lysozyme, T4, structure refined at 1·7 Å resolution, 189

McClain, W. H., Foss, K., Schneider, J., Guerrier-Takada, C. & Altman, S., Suppressor and novel mutants of bacteriophage T4 $tRNA^{Gly}$, 223
McClelland, M. (see also Brahmachari, S. K.), 201
Macrae, T. P. (see also Fraser, R. D. B.), 115
Maeda, K., Sato, M., Kato, Y., Tanaka, N., Hata, Y., Katsube, Y. & Matsubara, H., Crystallographic study of endogenous α-amylase inhibitor from wheat, 825
Maenhaut-Michel, G. (see also Koffel-Schwartz, N.), 651
Makowski, I., Frolow, F., Saper, M. A., Shoham, M., Wittmann, H. G. & Yonath, A., Single crystals of large ribosomal particles from *Halobacterium marismortui* diffract to 6 Å, 818
Malic enzyme, $NADP^+$-dependent, from rat liver; crystallization, 233
Mapping of sequence-specific chromatin proteins by a novel method: topoisomerase I on *Tetrahymena* ribosomal chromatin, 517
Martin, R. G. (see also Frappier, L.), 751
Marvin, D. A., Bryan, R. K. & Nave, C., Pfl *Inovirus*. Electron density distribution calculated by a maximum entropy algorithm from native fibre diffraction data to 3 Å resolution and single isomorphous replacement data to 5 Å resolution, 315
Matsubara, H. (see also Maeda, K.), 825
Matsui, H. (see also Kiyama, R.), 591
Matthews, B. W. (see also Weaver, L. H.), 189
Mauk, A. G. (see also Sherwood, C.), 227

Maxwell, A. (see also Rau, D. C.), 555
Membrane, outer, *Escherichia coli*, mRNA for the lipoprotein is polyadenylated, 507
Membrane protein, subunit c of the F_1F_0 ATP synthase; n.m.r. studies, 759
Messenger RNA, α-globin, human, the 3′ non-translated region does not affect translation efficiency, 815
Messenger RNA for the lipoprotein of the *Escherichia coli* outer membrane is polyadenylated, 507
Methylases, rRNA, two, responsible for resistance to aminoglycosides; sites of action, 661
Methylation, cytosine, developmental regulation in the nuclear rRNA genes of *Pisum sativum*, 15
Methylation, enzymic, probing: sequences that adopt non-*B*-DNA conformation in form *V* DNA, 201
Metmyoglobin, heart, horse, crystallization and preliminary diffraction data, 227
Miller, A. (see also Fraser, R. D. B.), 115
Molecular packing in type I collagen fibrils, 115
Molineux, I. J. (see also Schmitt, M. P.), 479
Monoclonal antibodies to cruciform DNA structures, 751
Monteiro, M. J. & Cox, R. A., Primary structure of an α-tubulin gene of *Physarum polycephalum*, 427
Moody, M. F., Jones, P. T., Carver, J. A., Boyd, J. & Campbell, I. D., ^{1}H nuclear magnetic resonance studies of an integral membrane protein: subunit c of the F_1F_0 ATP synthase, 759
Moody, P. C. E. (see also Skarzinski, T.), 171
Moriyama, H., Hata, Y., Yamaguchi, H., Sato, M., Shinmyo, A., Tanaka, N., Okada, H. & Katsube, Y., Crystallization and preliminary X-ray studies of *Bacillus pumilus* IPO xylanase, 237
Morle, F. & Godet, J., 3′ non-translated region of human α-globin messenger RNA does not affect translation efficiency, 815
Mosler, E. (see also Folkhard, W.), 405
Mount, D. W. (see also Peterson, K. R.), 27
Muramatsu, M. (see also Kominami, R.), 217
Murine-specific nuclear proteins, and c-*mos* upstream sequence binding, 255
Muscle, skeletal, myosin degradation fragments, 47
Mutagenesis, frameshift, by aflatoxin B_1-2,3-dichloride; mechanisms, 609
Mutagenesis, ultraviolet light-induced, in the *Escherichia coli* chromosome; sequences of mutants in the *c*I gene of a lambda lysogen, 637
Mutants, novel, of bacteriophage T4 $tRNA^{Gly}$, 223
Myers, J. C. (see also Dion, A. S.), 127
Myosin degradation fragments in skeletal muscle, 47

N-2-acetylaminofluorene-modified DNA, specific strand loss, 651
$NADP^+$-dependent malic enzyme from rat liver; crystallization, 233
Nave, C. (see also Marvin, D. A.), 315
Nemetschek, Th. (see also Folkhard, W.), 405
Nemetschek-Gansler, H. (see also Folkhard, W.), 405
Nishikura, K., Activation of cryptic promoters of human c-*myc* genes in microinjected *Xenopus laevis* oocytes, 497
Nojima, H. & Sokabe, H., Structure of a gene for rat calmodulin, 439
N-(phosphonacetyl)-L-aspartate complexed with aspartate carbamoyltransferase; 2·5 Å structure, 527
Nuclear magnetic resonance studies of an integral membrane protein: subunit c of the F_1F_0 ATP synthase, 759
Nuclear magnetic resonance study of the solution structure of α1-purothionin. Sequential resonance assignment, secondary structure and low resolution tertiary structure, 571
Nuclear magnetic resonance, two-dimensional, study of the complex of *lac* repressor headpiece with a 14 base-pair *lac* operator fragment, 213
Nuclear ribosomal RNA genes of *Pisum sativum*, developmental regulation of cytosine methylation, 15
Nucleotide sequence and comparative analysis of the human papillomavirus type 18 genome. Phylogeny of papillomaviruses and repeated structure of the E6 and E7 gene products, 599

Oishi, M. (see also Kiyama, R.), 591
Okada, H. (see also Moriyama, H.), 237
Okumura, K. (see also Kiyama, R.), 591
Oligomers, extrachromosomal, characterize a group of repetitive human DNA families, 591
Oocytes, *Xenopus laevis*, microinjected, and activation of cryptic promoters of human c-*myc* genes, 497
Operators and promoters, application of statistical-mechanical theory; selection of DNA binding sites by regulatory proteins, 723

Packing criteria, use in the enumeration of allowed sequences for different structural classes; tertiary templates for proteins, 775
Packing, molecular, in type I collagen fibrils, 115
Papillomavirus type 18 genome, human, nucleotide sequence and comparative analysis, 599
*par*A promoter region, *Agrobacterium tumefaciens*, involved in autoregulation, incompatibility and plasmid partitioning, 465
Pech, M. (see also Pohlenz, H.-D.), 241
Peterson, K. R. & Mount, D. W., Differential repression of SOS genes by unstable LexA41 (Tsl-1) protein causes a "split-phenotype" in *Escherichia coli* K-12, 27
Pf1 *Inovirus*. Electron density distribution calculated by a maximum entropy algorithm entropy algorithm from native fibre diffraction data to 3 Å resolution and single isomorphous replacement data to 5 Å resolution, 315
pH, extracellular, abrupt changes, and response of the flagellar rotary motor, 585
Photochemical reaction centres from wild-type *Rhodopseudomonas spheroides*, preliminary characterization by X-ray diffraction of crystals, 419
Physarum polycephalum, primary structure of an α-tubulin gene, 427
Pisum sativum, developmental regulation of cytosine methylation in the nuclear ribosomal RNA genes, 15
Plasmid 2-micron circle, yeast, isolation of intermediates in the binding of the FLP recombinase to its target sequence, 345
Plasmid partitioning and *Agrobacterium tumefaciens* pTAR *par*A promoter region, 465
Pleurodeles waltlii has an α-actin skeletal muscle-specific gene, 409
Pohl, F. M. (see also Hoheisel, J. D.), 447
Pohlenz, H.-D., Straubinger, B., Thiebe, R., Pech, M., Zimmer, F.-J. & Zachau, H. G., The human V_κ locus. Characterization of extended immunoglobulin gene regions by cosmid cloning, 241
Polyadenylated mRNA for the lipoprotein of the *Escherichia coli* outer membrane, 507
Ponder, J. W. & Richards, F. M., Tertiary templates for proteins: use of packing criteria in the enumeration of allowed sequences for different structural classes, 775
Prasad, B. V. V. & Chiu, W., Sequence comparison of single-stranded DNA binding proteins and its structural implications, 579
Pressure, hydrostatic: critical structure of hen egg-white lysozyme at 1000 atmospheres, 157
Price, G. B. (see also Frappier, L.), 751
Procollagens, human, COOH-terminal propeptides; structural, functional and genetic comparisons, 127
Promoter properties and negative regulation of the *uvr*A gene by the LexA repressor and its amino-terminal DNA binding domain, 293
Promoters, application of statistical-mechanical theory; selection of DNA binding sites by regulatory proteins, 723
Promoters, cellular, incorporated into the adenovirus genome; effect of viral DNA replication on endogenous and exogenous gene transcription, 643
Promoters, cryptic, of human c-*myc* genes in microinjected *Xenopus laevis* oocytes; activation, 497
Protein engineering modification of charged groups in the active site cleft of subtilisin; electrostatic effects, 803
Proteins, the efficiency of folding is increased by controlled rates of translation *in vivo*, 413
Proteins, nuclear, murine-specific, and c-*mos* upstream sequence binding, 255

Proteins, tertiary templates; use of packing criteria in the enumeration of allowed sequences for different structural classes, 775
α1-Purothionin, n.m.r. study of solution structure; sequential resonance assignment, secondary structure and low resolution tertiary structure, 571
Purvis, I. J., Bettany, A. J. E., Santiago, T. C., Coggins, J. R., Duncan, K., Eason, R. & Brown, A. J. P., The efficiency of folding of some proteins is increased by controlled rates of translation *in vivo*. A hypothesis, 413

Rat calmodulin, structure of gene, 439
Rat liver, crystallization of an $NADP^+$-dependent malic enzyme, 233
Rau, D. C., Gellert, M., Thoma, F. & Maxwell, A., Structure of the DNA gyrase–DNA complex as revealed by transient electric dichroism, 555
RecA protein, *Escherichia coli*, effects of the *Escherichia coli* SSB protein on binding to single-stranded DNA, 81
RecA protein, *Escherichia coli*, effects of the *Escherichia coli* SSB protein on the single-stranded DNA-dependent ATPase activity, 97
Refolo, L. M., Bennett, C. B. & Humayun, M. Z., Mechanisms of frameshift mutagenesis by aflatoxin B_1-2,3-dichloride, 609
Refolo, L. M. (see also Bennett, C. B.), 631
Regulation, developmental, of cytosine methylation in the nuclear ribosomal RNA genes of *Pisum sativum*, 15
Regulation, negative, of the *uvr*A gene by the LexA repressor and its amino-terminal DNA binding domain, 293
Regulatory protein selection of DNA binding sites. Statistical-mechanical theory and application to operators and promoters, 723
Reiss-Husson, F. (see also Ducruix, A.), 419
Repeated structure of the E6 and E7 gene products; nucleotide sequence and comparative analysis of the human papillomavirus type 18 genome, 599
Repetitive human DNA families, a group that is characterized by extrachromosomal oligomers and restriction-fragment length polymorphism, 591
Resistance to aminoglycosides; sites of action of two responsible RNA methylases, 661
Restriction-fragment length polymorphism characterizes a group of repetitive human DNA families, 591
Rhodopseudomonas spheroides, wild-type, preliminary characterization by X-ray diffraction of crystals of photochemical reaction centres, 419
RNA chains, stably initiated, a stressed intermediate in their formation at the *Escherichia coli lac* UV5 promoter, 267
RNA methylases, ribosomal, two responsible for resistance to aminoglycosides; sites of action, 661
RNA polymerase-formed open complexes at the *Escherichia coli lac* UV5 promoter, 267
RNA, ribosomal, nuclear, genes of *Pisum sativum*, developmental regulation of cytosine methylation, 15
Ribosomal chromatin, *Tetrahymena* on; a novel method of mapping of sequence-specific chromatin proteins, 517
Ribosomal large particles from *Halobacterium marismortui*, single crystals diffract to 6 Å, 819
Ribosomal RNA genes of *Pisum sativum*, developmental regulation of cytosine methylation, 15
Ribosomal RNA methylases, two, responsible for resistance to aminoglycosides; sites of action, 661
Ribosomal spacer sequence: structure and evolutionary origin, 217
Rice, D. W. (see also Baker, P. J.), 233
Richards, F. M. (see also Kundrot, C. E.), 157
Richards, F. M. (see also Ponder, J. W.), 775
Rotary motor, flagellar, response to abrupt changes in extracellular pH, 585
rudimentary gene of *Drosophila melanogaster* encodes four enzymic functions, 1
Russell, A. J., Thomas, P. G. & Fersht, A. R., Electrostatic effects on modification of charged groups in the active site cleft of subtilisin by protein engineering, 803

Sadowski, P. D. (see also Andrews, B. J.), 345
Salamander (*Pleurodeles waltii*) has an α-actin skeletal muscle-specific gene, 409
Salt stability of transcription complexes for various class III genes, 303
Santiago, T. C. (see also Purvis, I. J.), 413
Saper, M. A., Lis, H., Sharon, N. & Shaanan, B., Crystallization and preliminary X-ray diffraction studies of the lectin from *Erythrina corallodendron*, 823
Saper, M. A. (see also Makowski, I.), 818
Sarkar, N. (see also Taljanidisz, J.), 507
Sato, M. (see also Maeda, K.), 825
Sato, M. (see also Moriyama, H.), 237
Scheek, R. M. (see also Boelens, R.), 213
Schmitt, M. P., Beck, P. J., Kearney, C. A., Spence, J. L., Digiovanni, D., Condreay, J. P. & Molineux, I. J., Sequence of a conditionally essential region of bacteriophage T3, including the primary origin essential region of DNA replication, 479
Schnarr, M. (see also Bertrand-Burggraf, E.), 293
Schneider, J. (see also McClain, W. H.), 223
Schnös, M. (see also Inman, R. B.), 377
Searching for potential *Z*-DNA in genomic *Escherichia coli* DNA, 447
Seger, D. (see also Greulich, K. O.), 709
Seifart, K. H. (see also Jahn, D.), 303
Sequence, c-*mos* upstream, exhibits species-specific enhancer activity and binds murine-specific nuclear proteins, 255
Sequence comparison of single-stranded DNA binding proteins and its structural implications, 579
Sequence of a conditionally essential region of bacteriophage T3, including the primary origin of DNA replication, 479
Sequence, nucleotide, and comparative analysis of the human papillomavirus type 18 genome. Phylogeny of papillomaviruses and repeated structure of the E6 and E7 gene products, 599
Sequence, spacer, ribosomal, amplified; structure and evolutionary origin, 217
Sequence variability, statistical ensembles, 743
Sequences, amino acid, a sensitive procedure for comparison, 385
Sequences of mutants in the *c*I gene of a lambda lysogen; ultraviolet light-induced mutagenesis in the *Escherichia coli* chromosome, 637
Sequences that adopt non-*B*-DNA conformation in form *V* DNA as probed by enzymic methylation, 201
Seryl-tRNA synthetase crystals from *Escherichia coli*; preliminary crystallographic data, 423
Shaanan, B. (see also Saper, M. A.), 823
Sharon, N. (see also Saper, M. A.), 823
Sherwood, C., Mauk, A. G. & Brayer, G. D., Crystallization and preliminary diffraction data for horse heart metmyoglobin, 227
Shimada, K. & Berg, H. C., Response of the flagellar rotary motor to abrupt changes in extracellular pH, 585
Shinmyo, A. (see also Moriyama, H.), 237
Shoham, M. (see also Makowski, I.), 818
Shouche, Y. S. (see also Brahmachari, S. K.), 201
Skarzyński, T., Moody, P. C. E. & Wonacott, A. J., Structure of holo-glyceraldehyde-3-phosphate dehydrogenase from *Bacillus stearothermophilus* at 1·8 Å resolution, 171
Skeletal muscle-specific, α-actin, gene in salamander (*Pleurodeles waltlii*), 409
Sokabe, H. (see also Nojima, H.), 439
Somani, R. (see also Kowalczykowski, S. C.), 81
SOS genes, differential repression by unstable LexA41 (Tsl-1) protein causes a "split-phenotype" in *Escherichia coli* K-12, 27
Spence, J. L. (see also Schmitt, M. P.), 479
"Split-phenotype" in *Escherichia coli* K-12 is caused by differential repression of SOS genes by unstable LexA41 (Tsl-1) protein, 27
SSB protein, *Escherichia coli*, effects on the binding of *Escherichia coli* RecA protein to single-stranded DNA, 81
SSB protein, *Escherichia coli*, effects on the single-stranded DNA-dependent ATPase activity of *Escherichia coli* RecA protein, 97
Statistical ensembles for sequence variability, 743
Statistical-mechanical theory and application to operators and

promoters; selection of DNA binding sites by regulatory proteins, 723
Steroid-Fab′ complexes, crystallization and preliminary crystallographic data, 229
Straney, D. C. & Crothers, D. M., A stressed intermediate in the formation of stably initiated RNA chains at the *Escherichia coli lac* UV5 promoter, 267
Straney, D. C. & Crothers, D. M., Comparison of the open complexes formed by RNA polymerase at the *Escherichia coli lac* UV5 promoter, 279
Strand-specific loss in *N*-2-acetylaminofluorene-modified DNA, 651
Straubinger, B. (see also Pohlenz, H.-D.), 241
Structural dynamic of native tendon collagen, 405
Structural, functional and genetic comparisons for COOH-terminal propeptides of the major human procollagens, 127
Structural implications of sequence comparison of single-stranded DNA binding, 579
Structure, 2·5 Å, of aspartate carbamoyltransferase complexed with the bisubstrate analog *N*-(phosphonacetyl)-L-aspartate, 527
Structure of bacteriophage T4 lysozyme refined at 1·7 Å resolution, 189
Structure, chromatin, of a yeast heat-shock gene is demarcated by sharp boundaries, 71
Structure, crystal, of hen egg-white lysozyme at a hydrostatic pressure of 1000 atmospheres, 157
Structure determination, three-dimensional, of the 90° form by electron microscopy; the innermost chorionic layer of *Drosophila*, 685
Structure of the DNA gyrase–DNA complex as revealed by transient electric dichroism, 555
Structure of form *V* DNA, 201
Structure and evolutionary origin; amplified ribosomal spacer sequence, 217
Structure of a gene for rat calmodulin, 439
Structure of holo-glyceraldehyde-3-phosphate dehydrogenase from *Bacillus stearothermophilus* at 1·8 Å resolution, 171
Structure perturbation of chromatin in the region of the adult beta-globin gene in chicken erythrocyte chromatin, 57
Structure, primary, of an α-tubulin gene of *Physarum polycephalum*, 427
tructure, solution, of α1-purothionin, n.m.r. study; sequential resonance assignment, secondary structure and low resolution tertiary structure, 571
Structure: tertiary templates for proteins; use of packing criteria in the enumeration of allowed sequences for different structure classes, 775
Structure: transition of chromatin from the "10 nm" lower order structure to the "30 nm" higher order structure, as followed by small angle X-ray scattering, 709
Structures, chromatin, containing unfolded regions, calculation of hydrodynamic properties, 69
Structures, conformationally branched, in double-stranded DNA, are resolved by gene *3* endonuclease of bacteriophage T7, 359
Structures, DNA, cruciform, and monoclonal antibodies, 751
Structures, highly refined, two, of bovine pancreatic trypsin inhibitor, 145
Studier, F. W. (see also De Massey, B.), 359
Stura, E. A., Feinstein, A. & Wilson, I. A., Crystallization and preliminary crystallographic data for an anti-progesterone monoclonal antibody Fab′ and steroid-Fab′ complexes, 229
Subtilisin, electrostatic effects on modification of charged groups in the active site cleft by protein engineering, 803
Sukumaran, D. K. (see also Clore, G. M.), 571
Sullivan, K. M. & Lilley, D. M. J., Influence of cation size and charge on the extrusion of a salt-dependent cruciform, 397
Supercoiled regions in complex DNA structures, electron microscopic identification, 377
Suppressor and novel mutants of bacteriophage T4 $tRNA^{Gly}$, 223
Surface peptide amides in bovine pancreatic trypsin inhibitor, hydrogen exchange kinetics, 793
Szent-Györgyi, C., Finkelsten, D. B. & Garrard, W. T., Sharp boundaries demarcate the chromatin structure of a yeast heat-shock gene, 71

T3 (see also Bacteriophage), 479
T4 (see also Bacteriophage), 189, 223
T7 (see also Bacteriophage), 359
Taljanidisz, J., Karnik, P. & Sarkar, N., Messenger ribonucleic acid for the lipoprotein of the *Escherichia coli* outer membrane is polyadenylated, 507
Tanaka, N. (see also Maeda, K.), 825
Tanaka, N. (see also Moriyama, H.), 237
Teeter, M. M. (see also Clore, G. M.), 571
Templates, tertiary, for proteins; use of packing criteria in the enumeration of allowed sequences for different structural classes, 775
Tendon collagen, structural dynamic, 405
Tertiary templates for proteins. Use of packing criteria in the enumeration of allowed sequences for different structural classes, 775
Tetrahymena ribosomal chromatin, topoisomerase I on; a novel method of mapping of sequence-specific chromatin proteins, 517
Thiebe, R. (see also Pohlenz, H.-D.), 241
Thoma, F. (see also Rau, D. C.), 555
Thomas, D. H. (see also Baker, P. J.), 233
Thomas, P. G. (see also Russell, A. J.), 803
Thompson, W. F. (see also Watson, J. C.), 15
3′ non-translated region of human α-globin mRNA does not affect translation efficiency, 815
Tobacco mosaic virus (see also Virus), 693
Topoisomerase I on *Tetrahymena* ribosomal chromatin: a novel method of mapping of sequence-specific chromatin proteins, 517
Transcription complexes for various class III genes differ in parameters of formation and stability towards salt, 303
$tRNA^{Gly}$, T4, suppressor and novel mutants, 223
Transition of chromatin from the "10 nm" lower order structure to the "30 nm" higher order structure, as followed by small angle X-ray scattering, 709
Translation efficiency is not affected by 3′ non-translated region of human α-globin mRNA, 815
Translation rates, controlled, *in vivo*, increase the efficiency of folding of some proteins, 413
Trypsin inhibitor, bovine pancreatic, hydrogen exchange kinetics of surface peptide amides, 793
Trypsin inhibitor, pancreatic, bovine, comparison of two highly refined structures, 145
Tsl-1 (see also LexA41), 27
α-Tubulin gene of *Physarum polycephalum*, primary structure, 427
Tuchsen, E. & Woodward, C., Hydrogen exchange kinetics of surface peptide amides in bovine pancreatic trypsin inhibitor, 793

Ultraviolet light-induced mutagenesis in the *Escherichia coli* chromosome. Sequences of mutants in the *c*I gene of a lambda lysogen, 637
UV5 promoter, *lac*, *Escherichia coli*; comparison of the open complexes formed by RNA polymerase, 279
UV5 promoter, *lac*, *Escherichia coli*; a stressed intermediate in the formation of stably initiated RNA chains, 267
*uvr*A gene, promoter properties and negative regulation by the LexA repressor and its amino-terminal DNA binding domain, 293

V_κ locus, human; characterization of extended immunoglobulin gene regions by cosmid cloning, 241
van Boom, J. H. (see also Boelens, R.), 213
van der Hoorn, F. A., *c-mos* upstream sequence exhibits species-specific enhancer activity and binds murine-specific nuclear proteins, 255
Varghese, A. (see also Kowalczykowski, S. C.), 81
Virus, tobacco mosaic, correlation of co-ordinated amino acid substitutions with function in related viruses, 693
Volz, W. K. (see also Krause, K. L.), 527
von Hippel, P. H. (see also Berg, O. G.), 723

Wachtel, E. (see also Greulich, K. O.), 709
Wachtel, E. J., Calculation of hydrodynamic properties of

model chromatin structures containing unfolded regions (*Appendix* to Caplin, A. *et al.*, 57), 69
Watson, J. C., Kaufman, L. S. & Thomson, W. F., Developmental regulation of cytosine methylation in the nuclear ribosomal RNA genes of *Pisum sativum*, 15
Weaver, L. H. & Matthews, B. W., Structure of bacteriophage T4 lysozyme refined at 1·7 Å resolution, 189
Weisberg, R. A. (see also De Massey, B.), 359
Westergaard, O. (see also Christiansen, K.), 517
Wheat, crystallographic study of endogenous α-amylase inhibitor, 825
Whitlow, M. (see also Clore, G. M.), 571
Wilson, I. A. (see also Stura, E. A.), 229
Wingender, E. (see also Jahn, D.), 303
Wittmann, H. G. (see also Makowski, I.), 818
Wlodawer, A., Deisenhofer, J. & Huber, R., Comparison of two highly refined structures of bovine pancreatic trypsin inhibitor, 145
Wolf, N. (see also Jefferson, R. A.), 41
Wonacott, A. J. (see also Skarzyński, T.), 171
Wood, R. D. & Hutchison, F., Ultraviolet light-induced mutagenesis in the *Escherichia coli* chromosome. Sequences of mutants in the *c*I gene of a lambda lysogen, 637
Woodward, C. (see also Tuchsen, E.), 793

Xenopus laevis microinjected oocytes, and activation of cryptic promoters of human c-*myc* genes, 497
X-ray diffraction of crystals of photochemical reaction centres from wild-type *Rhodopseudomonas spheroides*, 419
X-ray diffraction studies, preliminary, of the lectin from *Erythrina corallodendron*, 823
X-ray small angle scattering study of the transition of chromatin from the "10 nm" lower order structure to the "30 nm" higher order structure, 709
X-ray studies, preliminary, of *Bacillus pumilus* IPO xylanase, 237
Xylanase, *Bacillus pumilus* IPO, crystallization and preliminary X-ray studies, 237

Yamaguchi, H. (see also Moriyama, H.), 237
Yeast heat-shock gene, sharp boundaries demarcate the chromatin structure, 71
Yeast plasmid 2-micron circle, isolation of intermediates in the binding of the FLP recombinase to its target sequence, 345
Yonath, A. (see also Makowski, I.), 818

Zachau, H. G. (see also Pohlenz, H.-D.), 241
Zannis-Hadjopoulos, M. (see also Frappier, L.), 751
Zimmer, F.-J. (see also Pohlenz, H.-D.), 241